

Masthead Logo

Virginia Commonwealth University
VCU Scholars Compass

Biology and Medicine Through Mathematics
Conference

2019

May 17th, 9:30 AM

Dermal lymphatic capillaries do not obey Murray's Law

Anne Talkington

University of North Carolina at Chapel Hill, annemt@email.unc.edu

Reema Davis

University of North Carolina at Chapel Hill, reemabiswas@gmail.com

Nicholas Datto

University of North Carolina at Chapel Hill, nicholasdatto@gmail.com

See next page for additional authors

Follow this and additional works at: <https://scholarscompass.vcu.edu/bamm>

Part of the [Life Sciences Commons](#), [Medicine and Health Sciences Commons](#), and the [Physical Sciences and Mathematics Commons](#)

<https://scholarscompass.vcu.edu/bamm/2019/fri/8>

This Event is brought to you for free and open access by the Dept. of Mathematics and Applied Mathematics at VCU Scholars Compass. It has been accepted for inclusion in Biology and Medicine Through Mathematics Conference by an authorized administrator of VCU Scholars Compass. For more information, please contact libcompass@vcu.edu.

Presenter Information

Anne Talkington, Reema Davis, Nicholas Datto, Emma Goodwin, Kathleen Caron, and Laura Miller

Anne Talkington
UNC Chapel Hill, Miller Lab
BAMM Abstract Submission

Dermal lymphatic capillaries do not obey Murray's Law:

Understanding lymphatic development is clinically relevant in applications from embryonic viability, to chronic inflammation, to cancer metastasis. We specifically address the branching of developing lymphatic capillaries, and the flow of lymph through these vessels. Murray's Law is a general branching rule upheld in diverse circulatory systems including leaf venation, sponge canals, and various human organs. While branching in arterial development is understood to consistently follow Murray's Law, we have found that an optimization law for lymphatic vessels follows a different pattern. Here, the daughter vessels are smaller relative to the parent than would be predicted by the hypothesized radius-cubed law. By implementing a computational model using the immersed boundary method, we can examine the extent to which features other than transport cost are optimized in this geometry. This suggests an alternate hypothesis for optimization of a different feature of the lymphatic system, such as enhancing fluid mixing, fluid exchange, or immune cell transport, rather than minimizing fluid transport cost.